NASA TECHNICAL MEMORANDUM

FA_A TM X-2948



NASA TM X-2948

(NASA-TM-X-2548) DATA FOR FIRST NASA ATMOSPHERIC VARIABILITY EXPERIMENT (AVE 1). PART 2: GRAPHICAL PRESENTATION OF DATA (NASA) 264 p HC \$6.25 CSCL 048



DATA FOR FIRST NASA ATMOSPHERIC VARIABILITY EXPERIMENT (AVE I)

Part II: Graphical Presentation of Data


by James R. Scoggins and Orvel E. Smith George C. Marshall Space Flight Center Marshall Space Flight Center, Ala. 35812

NATIONAL AFRONAUTICS AND SPACE ADMINISTRATION . WASHINGTON, D. C. . DECEMBER 1973



NASA TM X-2948

FAJA TM X-294





DATA FOR FIRST NASA ATMOSPHERIC VARIABILITY EXPERIMENT (AVE J)

Part II: Graphical Presentation of Data

by James R. Scoggins and Orvel E. Smith George C. Marshall Space Flight Center Marshall Space Flight Center, Ala. 35812

NATIONAL AFRONAUTICS AND SPACE ADMINISTRATION . WASHINGTON, D. C. . DECEMBER 1973

I. REPORT NO.	2. GOVERNMENT ACCESSION NO.	3. RECIPIENT'S CATALOG NO.
NASA TM X-2948		
TITLE AND SUBTITLE		5. REPORT DATE
DATA FOR FIRST NASA ATMOSPHERIC VARIABILITY EXPERIMENT		December 1973
(AVE I) PART II: GRAPHICAL PRESENTATION OF DATA		6. PERFORMING ORGANIZATION CODE
(AVE 1) FART 11: GRAFHI	CAL PRESENTATION OF DATA	M119
AUTHOR(S)		8. PERFORMING ORGANIZATION REPOR
James R. Scoggins and Or		
PERFORMING ORGANIZATION NAME	- ··· •	10. WORK UNIT NO.
Texas A&M University Aerospace Environment Division		CONTRACT OR CRANT NO
College Station, Texas	Aero-Astrodynamics Laboratory Marshall Space Flight Center	11. CONTRACT OR GRANT NO.
	NASA	NAS8-26751
SPONSCRING AGENCY NAME AND A		13. TIPE OF REPORT & FERIOD COVE
. STOUSENING NOTICE HAME AND A	JUNESS	Technical Memorandum
National Aeronautics and Space Administration		recitated fremotandam
Washington, D. C. 20546	opace mangage enderon	14. SPONSORING AGENCY CODE
""" " " " " " " " " " " " " " " " " "		
SUPPLEMENTARY NOTES		
= -	to make available a unique set of	f atmospheric data records
	scientific community. The project	
	Mr. Robert E. Turner of MSFC.	
8. ABSTRACT		
This report presents a co	raphical representation of data for	or NASA's first Atmospheric
	AVE I) conducted during the period	
oraphical representation	ie in the torm at commete chart.	e and time cross section
	is in the form of synoptic charts	s and time cross section.
Data taken on the AVE T	•	
	project in 1964 enabled an analys:	is of a large sector of the
eastern United States on	project in 1964 enabled an analys a fine resolution time scale. T	is of a large sector of the his experiment was run in
eastern United States on February 1964, and data	project in 1964 enabled an analys: a fine resolution time scale. The were collected as a wave developed	is of a large sector of the his experiment was run in d in the East Gulf on a
eastern United States on February 1964, and data frontal system which ext	project in 1964 enabled an analys: a fine resolution time scale. The were collected as a wave developed ended through the eastern part of	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The
eastern United States on February 1964, and data frontal system which ext primary objective of AVE	project in 1964 enabled an analys: a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variabilistic contents.	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variable of three hours, and to integrate	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA progra
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate of information. The results present	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach,	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate of information. The results present only a portion of	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate of information. The results present only a portion of	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate of information. The results presonand represent only a portion of the collection of the coll	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate of information. The results present only a portion of	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate of information. The results presonand represent only a portion of the collection of the coll	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variabit of three hours, and to integrate of information. The results presonand represent only a portion of the parts: Part I - Data Tabulat:	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished This report consists of	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variabit of three hours, and to integrate of information. The results presonand represent only a portion of the parts: Part I - Data Tabulat:	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished This report consists of	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variabit of three hours, and to integrate of information. The results presonand represent only a portion of the parts: Part I - Data Tabulat:	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished This report consists of	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variabit of three hours, and to integrate of information. The results presonand represent only a portion of the parts: Part I - Data Tabulat:	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variabit of three hours, and to integrate of information. The results presonand represent only a portion of the parts: Part I - Data Tabulat:	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variabit of three hours, and to integrate of information. The results presonand represent only a portion of the parts: Part I - Data Tabulat:	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate to finformation. The results present and represent only a portion of the parts: Part I - Data Tabulation	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of	project in 1964 enabled an analyst a fine resolution time scale. The were collected as a wave developed ended through the eastern part of I was to investigate the variabit of three hours, and to integrate of information. The results presonand represent only a portion of the parts: Part I - Data Tabulat:	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate to finformation. The results present and represent only a portion of the parts: Part I - Data Tabulation	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate to finformation. The results present and represent only a portion of the parts: Part I - Data Tabulation	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate to finformation. The results present and represent only a portion of the parts: Part I - Data Tabulation	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate to finformation. The results present and represent only a portion of the parts: Part I - Data Tabulation	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate to finformation. The results present and represent only a portion of the parts: Part I - Data Tabulation	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate to finformation. The results present and represent only a portion of the parts: Part I - Data Tabulation	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variable of three hours, and to integrate of information. The results present and represent only a portion of two parts: Part I - Data Tabulat: A+5-2	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical
eastern United States on February 1964, and data frontal system which ext primary objective of AVE and over time intervals which require this type those from one approach, that can be accomplished. This report consists of Presentation of Data.	project in 1964 enabled an analyst a fine resolution time scale. The ware collected as a wave developed ended through the eastern part of I was to investigate the variability of three hours, and to integrate to finformation. The results present and represent only a portion of the parts: Part I - Data Tabulation	is of a large sector of the his experiment was run in d in the East Gulf on a the United States. The lity of parameters in space the results into NASA prograented in this report are the total research effort ion and Part II - Graphical

TABLE OF CONTENTS

	rage	
PRECEDING PAGE BLANK NOT FILMED		
I. Introduction	. 1	
Il. Graphical Presentation of Data	. 2	
A. National Weather Service Surface Charts	. 2	
B. Syroptic Charts Prepared from AVE I Data	. 2	
C. Time Cross Sections Prepared from AVE I Data	. 2	
III. Comments	. 3	
Surface Synoptic Charts prepared by the Nacional Weather Service for the period February 17-23, 1964	. 5	
Synoptic Charts prepared from AVE I Data for the period 1500 GMT February 19 - 0000 GMT February 23, 1964	. 15	
Time Cross Sections Propered from AVE T Data	. 73	

ACKNOWLEDGEMENTS

The authors wish to thank Mr. Victor Corbelli and Mr. Raymond Boucher for finalyzing the synoptic charts and cross sections, and Miss Marilyn Kocurek for typing and assembling both parts.

by

James R. Scoggins
Texas A&M University
College Station, Texas

and

Orvel E. Smith²
NASA Marshall Space Flight Center
Huntsville, Alabama

I. Introduction

Part I of this report contains a description of the AVE I experiment, a discussion of the basic data including its collection and methods of processing, estimates of data accuracies, and a tabulation of all sounding data which was collected as part of the AVE I experiment. This report (Part II) presents a graphical presentation of the AVE I data in the form of constant-pressure charts and time cross sections of various meteorological variables. In addition, surface charts prepared by the National Weather Service are included. These charts contain surface weather and cloud information which is not portrayed on the constant-pressure charts prepared from the AVE I data.

The primary purpose of the graphical presentation of t. AVE I data is to display the time and space changes in various meteorological parameters over time intervals for which sounding data are usually not available, and to provide the information in a form which would make it possible for a

Professor of Meteorology and Director, Center for Applied Geosciences. Chief, Terrestrial Environment Branch, Aerospace Environment Division.

researcher to isolate regions of the atmosphere where changes occur in space and/or time which might be of interest to him in his research.

II. Graphical Presentation of Data

A. National Weather Service Surface Charts

Surface charts prepared by the National Weather Service and valid at 0100 EST on each day from February 17-23, 1964 are presented. An explanation of these charts will not be given since they are standard and contain no unusual type of information.

B. Synoptic Charts Prepared from AVE 1 Data

Constant-pressure charts are presented for the 1000-, 850-, 700-, 500-, 400-, 300-, 200-, and 100-mb levels at intervals of three hours for the entire period of the AVE I experiment. These charts contain height contours and isotherms. Height contours are labelled in meters or tens of meters and with the first and last digits dropped as appropriate.

Isotherms have units of degrees Celsius. Fronts were entered on the charts when it was believed that their position could be determined with reasonable certainty.

C. Time Cross Sections Prepared from AVE 1 Data

Time cross sections with the vertical coordinate as pressure on a linear scale were prepared for nine meteorological variables for each AVE I station. Cross sections were prepared for potential temperature, ambient temperature, dewpoint temperature, zonal wind speed, meridional wind speed, scalar wind speed, relative humidity, dewpoint depression, and geopotential height. Units for each variable are shown on the respective cross section. Intervals for which contours were drawn were held constant insofar as possible, but in areas where the gradient became so large that

it was impossible to draw all contours it was necessary to vary the interval. In cases where the interval was not constant a note appears on the cross section. An "M" was entered at the top of the cross section to indicate missing data, while an "X" was used to indicate questionable or erroneous data. In most instances when two or more soundings were missing the analysis of the cross section is discontinuous. In a few instances, such as in the analysis of height fields, where the variable changes very little with time the analysis was continuous even though two or more soundings were missing. Centers enclosed by contours were labelled in actual values when the interval was not constant.

Cross sections for two stations, Mississippi Test Facility and Huntsville, Alabama, obtained sounding data at intervals of 1½ hours while the interval for all other stations was 3 hours. Cross sections were prepared for these two stations for the same period of time as the other cross sections but with twice as much data.

III. Comments

The analysis of the AVE I data presented in this report is designed to portray the large time and space variations in the structure of the atmosphere, and to provide a means for delineating areas which exhibit changes in meteorological variables and conditions which might be of particular interest to a researcher. While the analysis was done with reasonable care, each scientist using the data will no doubt want to perform his own analysis.

Surface Synoptic Charts

prepared by the


National Weather Service


for the period


February 17-23, 1964


PRECEDENG PAGE DEAVE NOT FILMED


PRECIDENG PAGE TELL'II NOT FILMED



















Synoptic Charts Prepared from

AVE I Data


for the period


1500 GMT February 19 - 0000 GMT February 23, 1964

PRICEDING PAGE PLANIE NOT FILMED




1500 GMT February 19, 1964






1500 GMT February 19, 1964




1800 GMT February 19, 1964


d) 500 mb

c) 700 mb




1800 GMT February 19, 1964







2100 GMT February 19, 1964




2100 GMT February 19, 1964




0000 GMT February 20, 1964




0000 GMT February 20, 1964




0300 GMT February 20, 1964




0300 GMT February 20, 1364




0600 GMT February 20, 1964




0600 GMT rebruary 20, 1964




0900 GMT February 20, 1964




0900 GMT February 20, 1964






THE REPORT OF THE PROPERTY OF


1200 GMT February 20, 1964




1200 GMT February 20, 1964




1500 GMT February 20, 1964







1500 GMT February 20, 1964




1800 GMT February 20, 1964




1800 GMT February 20, 1964




2100 GMT February 20, 1964




2100 GMT February 20, 1964




0000 GMT February 21, 1964




0000 GMT February 21, 1964




0300 GMT February 21, 1964




0300 GMT February 21, 1964




0600 GMT February 21, 1964




0000 GMT February 21, 1964



0900 GMT February 21, 1964




0900 GMT February 21, 1964




1200 GMT February 21, 1964

d) 500 mb


c) 700 mb




1200 GMT February 21, 1964




1500 GMT February 21, 1964




1500 GMT February 21, 1964




1800 GMT February 21, 1964



1800 GMT February 21, 1964




2100 GMT February 21, 1964




2100 GMT February 21, 1964

The Said Strategies Bearings . .





0000 GMT February 22, 1964



e) 4(10 mb

f) 300 mb







g) 200 mb

..) 100 mb


0000 GMT February 22, 1964




0300 GMT February 22, 1964




0300 GMT February 22, 1964




0600 GMT February 22, 1964



0600 GMT February 22, 1964




0900 GMT February 22, 1964




0900 GMT February 22, 1964

g) 200 mb


h) 100 mb




1200 GMT February 22, 1964




1200 GMT February 22, 1964




1500 GMT February 22, 1964




1500 GMT February 22, 1964



1800 GMT February 22, 1964




1800 GMT February 22, 1964




AND THE RESIDENCE OF THE PROPERTY OF THE PROPE


2100 GMT February 22, 1964



2100 GMT February 22, 1964



0000 GMT February 23, 1964




0000 GMT February 23, 1964


Time Cross Sections prepared from AVE I Data

Station Number 11001


Marshall Space Flight Center, Alabama


PRECEDING PAGE BLANK NOT FILMED







Potential Temperature $({}^0K)$ for Marshall Space Flight Center, Station Number 11001







Temperature (^OC) for Marshall Space Flight Center, Station Number 11001







Dewpoint Temperature (^OC) for Marshall Space Flight Center, Station Number 11001







Zonal Wind Component (m/sec) for Marshall Space Flight Center, Station Number 1,001







Meridional Wind Component (m/sec) for Marshall Space Flight Center, Station Number 11001







Wind Speed (m/sec) for Marshall Space Flight Center, Station Number 11001







Relative Humidity (%) for Marshall Space Flight Center, Station Number 11001






Dewpoint Depression (⁹C) for Marshall Space Fright Center, Station Number 11001







Height (gpm) for Marshall Space Flight Center, Station Number 11001


Station Number 22001
Mississippi Test Facility, Mississippi







22 ontial Temperature (^OK) for Mississippi Test Facility, Station Number 22001







Temperature (^OC) for Mississippi Test Facility, Station Number 22001







Dewpoint Temperature (^OC) for Mississippi Test Facility, Station Number 22001






Zonal Wind Component (m/sec) for Mississippi Test Facility, Station Number 22001







Meridional Wind Component (m/sec) for Mississippi Test Facility, Station Number 22001


東京東京東京東京東京の大学、1997年の東京東京の大学、1997年の







Wind Speed (m/sec) for Mississippi Test Facility, Station Number 22001






Relative Humidity (%) for Mississippi Test Facility, Station Number 22001






Dewpoint Depression (^OC) for Mississippi Test Facility, Station Number 22001




Height (gpm) for Mississippi Test Facility, Station Number 22001


Station Number 33001


Dayton, Ohio






Temperature $(^{0}\mathrm{S})$ for Layton , Ohio, Station Number 33001







Zonal Wind Component (m/sec) for Dayton, Ohio, Station Number 33001




Meridional Wind Component (m/sec) for Dayton, Ohio Station Number 33001




Wind Speed (m/sec) for Dayton, Ohio, Station Number 33001



Relative Humidity (%) for Dayton Ohio, Station No 3-Jer 33061




Dewpoint Depression (^OC) for Dayton, Ohio, Station Number 33001




Height (gpm) for Dayton, Ohio, Station Number 33001


京 東京 は こう


Station Number 33002 Huntington, West Virginia







Temperature (^OC) for Huntington, West Virginia, Station Number 33002






Zon: nd Component (m/sec) for Huntington, West Virginia, Station Number 33002







Wind Speed (m/sec) for Auntington, West Virginia, Station Number 33002









Dewpoint Depression (^OC) for Huntington, West Virginia, Station Number 33002




Height (gpm) for Huntington, West Virginia, Station Number 33002

Station Number 33003 Greensboro, North Carolina







Temperature (^OC) for Greensboro, North Carolina, Station Number 33003









Zonal Wind Component (m/sec) for Greensboro, North Carolina, Station Number 33003







Wind Speed (m/sec) for Greensboro, North Carolina, Station Number 33003



Relative Humidity (%) for Greensb 75, North Carolina, Station Number 33003





Dempoint Depression (^OC) for Greensboro, North Carolina, Station Number 33003



Height (gpm) for Greensboro, North Carolina, Station Number 33003


Station Number 33004 Charleston, South Carolina






Temperature (^OC) for Charleston, South Carolina, Station Number 33004


「安文院の東京の日本の代表の動物を動きのできるのである。




Dewpoint Temperature (OC) for Charleston South Carolina, Station Number 33004





Zonal Wind Component (m/sec) for Charleston, Scuth Carolina, Station Number 33004



Meridional Wind Component (m/sec) for Charleston, South Carolina, Station Number 33004









Prossure (mb)


Dewpoint Depression (OC) for Charleston, South Carolina, Station Number 33004



Height (gpm) for Charleston, South Carolina, Station Number 33004


Station Number 33005 Columbia, Missouri






Temperature (^OC) for Columbia, Missour:, Station Number 33005

Sec. 1250 " 11.40.



THE PARTY OF THE P




erneserf Š Š


90

8 8 (qm)


Zonal Wind Component (m/sec) for Columbia, Missouri, Station Number 33005




Meridional Wind Component (m/sec) for Columbia, Missouri, Station Number 33005




Wind Speed (m/sec) for Columbia, Missouri, Station Number 33005







Height (gpm) for Columbia, Missouri, Station Number 33005

Station Number 33006
Peoria, Illinois







Temperature (^OC) 10r Peoria, Illinois, Station Number 33006




こう ひきからて あいか



Zonal Wind Component (m/sec) for Peoria, Illinois, Station Number 33006








Wind Speed (m/sec) for Peoria, Hinois, Station Number 33006

Pressure (mb)




8

6 8 8 8 8


(q#)


Dewpoint Depression (^OC) for Peoria, Illinois, Strtion Number 33006




Height (gpm) for Peoria, Illinois, Station Number 33006


Station Number 33007
Pittsburgh, Pennsylvania










Temperature (^OC) for Pittsburgh, Pennsylvania, Station Number 33007







Zonal Wind Component (m/sec) for Pittsburgh, Pennsylvania, Station Number 33007






Wind Speed (m/sec) for Pittsburgh, Pennsylvania, Station Number 33007







Dewpoint Depression (^OC) for Pittsburgh, Pennsylvania, Station Number 33007



Height (gpm) for Pittsburgh, Pennsylvania, Station Number 3'3007


Station Number 33008
San Antonio, Texas






(dm) esuescrif


Temperature (OC) for San Antonio, Texas, Station Number 33008




The second secon





Zonal Wind Component (m/sec) for San Antonio, Texas, Station Number 33008






Wind Speed (m/sec) for San Antonio, Texas, Station Number 33008





Dewpoint Depression (${}^{\circ}$ C) for San Antonio, Texas, Station Number 33008





. 🌠 🚎


Height (gpm) for San Antonio, Texas, Station Number 33008

Station Number 33009


Fort Worth, Texas









Temperature (OC) for Fort Worth, Texas, Station Number 33009




では、100mmの




Zonal Wind Component (m/sec) for Fort Worth, Texas, Station Number 33009




1. 2. 黄 3. 块




Wind Speed (m/sec) for Fort Worth, Texas, Station Number 33009





Pressure


Dewpoint Depression (^OC) for Fort Worth, Texas, Station Number 33009




Height (gpm) for Fort Worth. Texas, Station Number 33009

んな変える


Station Number 33010
Oklahoma City, Oklahoma




Potential Temperature (⁰K) for Oklahoma City, Oklahoma, Station Number 33010





Temperature (OC) for Oklahoma City, Oklahoma, Station Number 33010







Zonal Wind Component (m/sec) for Oklahoma City, Oklahoma, Static: Number 33910






Wind Speed (m/sec) for Oklanoma City, Oklahoma, Station Number 33010






Dewpoint Depression $^{(0}\mathrm{C})$ for Oklahoma City, Oklahoma, Station Number 33010




Height (gpm) for Oktahoma City, Oktahoma, Station Number 33/10

か、日できるから、大きのでは、日本のでは、日


Station Number 33011
Topeka, Kansas




4<u>8</u> 1 ₹3




Temperature (^OC) for Topeka, Kansas, Station Number 33011




Dewpoint Temperature (^OC) for Topeka, Kansas, Station Number 33011




Zonal Wind Component (m/sec) for Topeka, Kansas, Station Number 33011






Wind Speed (m/sec) for Topeka, Kansas, Station Yumber 33011




A Company



達地




Dewpoint Depression (OC) for Topeka, .. 1s, Station Number 33011




Height (gpm) for Topeka, Kansas, Station Number 33011


Station Number 33012 Omaha, Nebraska




Potential Temperature (OK) for Omaha, Nebraska, Station Number 33012





Temperature (°C) for Omaha, Nebraska, Station Number 33012






Zonal Wind Component (m/sec) for Omaha, Nebraska, Station Number 33012







Wind Speed (m/sec) for Omaha, Nebraska, Station Number 33012

The state of the s







Dewpoint Depression ($^{\mathrm{O}}$ C) for Omaha, Nebraska, Station Number 33012




Height (gpm) for Omaha, Nebraska, Station Number 33012

Station Number 33013 Nashville, Tennessee







Temperature (^OC) for Nashville, Tennessee, Station Number 33013




はなったいいか ですなるないないないからう




Zonai Wind Component (m/sec) for Nashville, Tennessee, Station Number 33013






Wind Speed (m/sec) for Nashville, Tennessee, Station Number 33013


一日 できるというない かいりこう






· #


Dewpoint Depression (^OC) for Nashville, Tennessee, Station Number J3013




Height (gpm) for Nashville, Tennassee, Station Number 33013

Station Number 33014
Athens, Georgia







Temperature (^OC) for Athens, Georgia, Station Number 33014




Dewpoint Temperature (^OC) for Athens, Georgia, Station Number 33014







Meridional Wind Component (m/sec) for Athens, Georgia, Station Number 33014




. <u>.</u>






Dewpoint Depression (OC) for Athens, Georgia, Station Number 33014




Height (gpm) for Athens, Georgia, Station Number 33014

Station Number 33015
Montgomery, Alabama




Potential Temperature (⁹K) for Montgomery, Alabama, Station Number 33015




Temperature (^OC) for Montgomery, Alabama, Station Number 33015

The state of the s


これのなる 素をなるとい




11日本




Zonal Wind Component (m/sec) for Muntgomery, Alabama, Station Number 33C15







Wind Speed (m/sec) for Montgomery, Alabama, Station Number 33015



Relative Humidity (%) for Montgomery, A'abama, Station Number 33015



Dewprint vepression. (2) for Montgomery, Alabama, Station Number 33015




Height (gpm) for Montgomery, Alabama Station Number 33015


THE REPORT OF THE PERSON OF TH

Station Number 33016


Jackson, Mississippi





.ÿ - ₹,1




Temperature (^OC) for Jackson, Mississippi, Station Number 33016












Wind Speed (m/sec) for Jackson, Mississippi, Station Numbur 33016





Dewpoint Depression (^OC) for Jackson, Mississippi, Station Number 33016




\$ "


Height (gpm) for Jackson, Mississippi, Station Number 33016

The second of th

Station Number 33017 Little Rock, Arkansas




Potential Temperature (OK) for Little Rock, Arkansas, Station Number 33017




Temper Lure (OC) for Little Rock, Arkansas, Station Number 33017

7,1





からのころからい しゅうにあらず かんけん 東京 大変を変える

Dewpoint Temperature (OC) for Little Rock, Arkansas, Station Number 33017





Zonal Wind Commonent (m/sec) for Little Rock, Arkansas, Station Number 33017






Wind Speed (m/sec) for Little Rock, Arkansas, Station Number 33017





Dewpoint Depression (^OC) for Little Rock, Arkansas, Station Number 33017




Height (gpm) for Little Rock, Arkansas, Station Number 33017

こうはまちょうを持ち 東海海道 大きのできる場合の地域のなっていると


The state of the s

Station Number 33018


Jacksonville, Florida




Potential Temperature (OK) for Jacksonville, Florida, Station. Number 33018




Temperature (OC) for Jacksonville, Florida, Station Number 33018







Zonal Wind Component (m/sec) for Jacksonville, Florida, Station Number 33018




Meridional Wind Component (m/sec) for Jacksonville, Florida, Station Number 33018




Wind Speed (m/sec) for Jacksonville, Florida, Station Number 33018



Relative Humidity (%) for Jacksonville, Florida, Station Number 33018





Dewpoint Depression (^OC) for Jacksonville, Florida, Station Number 33018



Height (gpm) for Jacksonville, Florida, Station Number 33018


Station Number 33019
Tampa, Florida







Temperature (0 C) for Tampa, Florida, Station Number 33019

THE PARTY OF THE PROPERTY OF THE PARTY OF TH







Zonal Wind Component (m/sec) for Tampa, Florida, Station Number 33019




Meridional Wind Component (m/sec) for Tampa, Florida, Station Number 33019




Wind Speed (m/sec) for Tampa, Florida, Station Number 33019



Relative Humidity (%) for Tampe, Florida, Station Number 33019





Dewpoint Depression (OC) for Tampa, Florida, Station Number 33019




Height (gpm) for Tampa, Florida, Station Number 33019


Station Number 33020 Miami, Florida







Temperature (^OC) for Miam Fiorida, Station Number 33020







Zonal Wind Component (m/sec) for Miami, Florida, Station Number 33020






Wind Speed (m/sec) for Miami, Florida, Station Number 33020






Dewpoint Depression (^OC) for Miami, Florida, Station Number 33020




Height (gpm) for Miami, Florida, Station Number 33G20

Station Number 33021


Burrwood, Louisiana






Temperature (^OC) for Burrwood, Louisiana, Station Number 33021


文文本文章 经营业的 医阴道性 医阴道性 医阴道性 医神经性 医乳球球球 医乳头



Dewpoint Temperature (^OC) for Burrwood, Louisiana, Station Number 33021




Zonal Wind Component (m/sec) for Burnvood, Louisiana, Station Number 33021



.2 Februar, 1964 21 February 1964 0 30 chruary 1964 NOIE: Interval not constant Pressure (ah)


Wind Speed (m/sec) for Burrwood, Louisiana, Station Number 33021

選挙的のの一次を表現的対象を示している。そのものが、本意の表に、を言い、ものない。 あまれる 発音をよってもないがってもっく ちゅうじんきの きちゅう




(dm) stusser9

Relative Humidity (%) for Burrwood, Louisiana, Station Number 33021




Dewpoint Depression $\binom{0}{\mathbb{C}}$ for Burrwood, Louisiana, Station Number 33021



Height (gpm) for Burrwood, Louisiana, Station Number 33321


Station Number 33022

Lake Charles, Louisiana





(dm) sinesalf

Potential Tenperature (^OK) for Lake Charles, Louisiana, Station Number 33022




Temperature (Or) for Lake Charles, Louisiana, Station Number 33022






Zoral Wind Component (m/sec) for Lake Charles, Louisiana, Station Number 33022

Meridional Wind Component (m/sec) for Like Charles, Louisiana, Station Number 33022




Wind Speed (11/1/sec) for Lake Charles, t. Jisiana, Station Number 33022


これに大きななどのでは、高温を発展を対しているという。 からのできる はない これのできる かんかい こうかん かんかい はいかん かんかん かんかん かんかん かんかん かんしゅう かんしょう かんしゃ かんしょう かんしょう かんしょう かんしょう かんしょう かんしょう かんしょう かんしょう かんしん かんしょう かんしょく かんしょく かんしょく かんしょく かんしょく かんしょく かんしょく かんしん かんしん かんしん かんしん かんしん しんしん かんしん しんしん かんしん しんしん しん



Relative Humidity (%) for Lake Charles, Louisiana, Station Number 33022





Dewpoint Depression (0 C) for Lake Charles, L $^{\circ}$ islana, Station Number 3302?




Height (gpm) for Lake Charles, Louisiana, Station Number 33022


Station Number 33023 Shreveport, Louisiana






Temperature (^OC) for Shreveport, Lovisiana, Station Number 33023







Zonal Wind Component (m/sec) for Shrevaport, Louisiana, Station Number 33023




Meridional Wind Component (m/sec) for Shreveport, Louisiana, Station Number 33023




Wind Speed (m/sec) for Shreveport, Louisiana, Station Number 33023



Relative Humidity (%) for Shreveport, Louisiana, Station Number 33023




Dewpoint Depression (^OC) for Shreveport, Louisiana, Station Number 33023




Height (gpm) for Shreveport, Louis ana, Station Number 33023


Station Number 44001 Cape Kennedy, Florida




Potential Temperature $({}^{\mathsf{O}}\mathsf{K})$ for Cape Kennedy, Florida, Station Number 44001




Temperature (^OC) for Cape Kennedy, Florida, Station Number 44001




Dewpoint Temperature (^OC) for Cape Kennedy, Florida, Station Number 44001




Zonal Wind Component (m/sec) for Cape Kennedy, Florida, Station Number 4400]






Wind Speed (m/sec) for Cape Kennedy, Florida, Station Number 44001

関するとう こうしょ 大き という とうこう たん かながらないないがっていません だいしょうかい かいかん あんしょう 大変できる かんしゅう 大変できる かんかんかん あんがん






Dewpoint Depression (^OC) for Cape Kennedy, Fiorida, Statinn Number 44001


Height (gpm) for Cap Kennedy, Florida, Station Number 44001

こうない かんかん いちをからる まないのかい


いというないのでは、これでは、これでは、これでは、これではないというというできない。これではない、これではないないのでは、これではないできないできない。

Station Number 44002 Grand Bahama Islands







Temperature (^OC) for Grand Bahama Islands, Station Number 44002




Dewpoint Temperature (^OC) for Grand Bahama Islands, Station Number 44002




Zonal Wind Component (m/sec) for Grand Bahama Islands, Station Number 44002







Wind Speed (m/sec) for Grand Bahama Islands, Station Number 44002



Relative Humidity (%) for Grand Bahama Islands, Station Number 44002





Dewpoint Depression (OCI for Grand Bahama Islands, Station Number 44002




Height (gpm) for Grand Bahama Islands, Station Number 4002


Station Number 44003 Valparaiso, Florida







Temperature (OC) for Valparaiso, Florida, Station Number 44003







Zonal Wind Component (m/sec) for Valparaiso, Florida, Station Number 44003






Wind Speed (m/sec) for Valparaiso, Florida, Station Number 44003






Dewpoint Depression (^OC) for Valparaiso, Florida, Station Number 44003




Height (gpm) for Valparaiso, Florida, Station Number 44003

Station Number 55001 Key West, Florida




Potential Temperature (^OK) for Key West, Florida, Station Number 55001




Temperature (^OC) for Key West, Florida, Station Number 55001


The second the company of the contract of the second of th

The second secon







Zonal Wind Component (m/sec) for Key West, Florida, Station Number 55:001




Meridional Wind Component (m/sec) for Key West, Florida, Station Number 55001




Wind Speed (m/sec) for Key West, Florida, Station Number 55001






Dewpoint Depression ($^{\rm O}$ C) for Key West, Florida, Station Number 55101




Height (gpm) for Key West, Florida, Station Number 55001


Station Number 55002 Corpus Christi, Texas




Potential Temperature (^OK) for Corpus Christi Texas, Station Number 55002




Temperature (^OC) for Corpus Christi, Texas, Station Number 55002







Zonal Wind Component (m/sec) for Corpus Christi, Texas, Station Number 55032




Meridional Wind Component (m/sec) for Corpus Christi, Texas, Station Number 55002



258





Dewpoint Depression (^OC) for Corpus Christi, Texas, Station Number 55002

Height (gpm) for Corpus Christi, Texas, Station Number 55002

CAT.-20